

Move a base

- Table of contents
- Drag and drop the base by moving it to your target workspace :
- Use the Move option from the base :
- User Level of Access Change After Moving a Base


If you are working with multiple workspaces comprising of multiple tables, you can move your bases from one workspace to another.

There are two ways to move a base from one workspace to another:

- Option 1 **Drag and drop the base** by moving it to your target workspace.
- Option 2 Use the **Move** option from the base.


Drag and drop the base by moving it to your target workspace:

- 1. Go to the workspace where the base is located.
- 2. Click on the base, drag and drop to the workspace where you would like to move it.



Use the Move option from the base:

- 1. Go to the workspace where the base is located.
- 2. On the base, click the 3 dots (more option) icon and select Move
- 3. This opens up a Move Script dialog box. From the list of workspaces available, choose a workspace and **click the**Move button
- 4. You will get a notification stating that the base has been moved successfully.



User Level of Access Change After Moving a Base

Please be aware that moving a base from one workspace to another may change the collaborator's permission level and access to the base.

- Any person who is a workspace collaborator from the original workspace but not a member of the new workspace will lose access to the base.
- Any person who is not a workspace collaborator from the original workspace but a member of the new workspace will gain access to the base, according to their permission level.
- Suppose a person is a base collaborator of the base that is being moved, and the base is moved to a workspace for which they are not a workspace collaborator, they will retain access to the base, as a base collaborator, at the same permission level.
- If a person is a base collaborator on a base that is being moved, and the base is moved to a workspace for which he is a workspace collaborator, his role as a base collaborator will cease; instead, he will have access to that base as a workspace collaborator, at the permission level assigned to him, as a collaborator on the new workspace (NOT the permission level that previously existed for him as a base collaborator).